Page 1 of 69

File No.: 2214901

AMENDMENT NO. 3 FOR FACILITY SECURITY SYSTEMS, EQUIPMENT, AND SOFTWARE WITH RELATED SERVICES

This AMENDMENT is made and entered into as of the date fully executed by and between the County of Orange, a political subdivision of the State of California ("County") and Johnson Controls Fire Protection LP, with a place of business at 6600 Congress Ave., Boca Raton, FL 33487-1213 ("Contractor"), with County and Contractor sometimes individually referred to as "Party" or collectively referred to as "Parties".

RECITALS

WHEREAS, County of Orange, County Procurement Office, ("CPO") has issued a Regional Cooperative Agreement RCA-017-22010107, for Facility Security Systems, Equipment, and Software with Related Services ("RCA"), now in effect; and,

WHEREAS, County and Contractor entered into Subordinate Contract MA-080-22011385, per the terms and conditions of RCA, effective July 1, 2022, through April 22, 2025, in the amount of \$3,907,980.00 ("Contract"); and,

WHEREAS, on February 3, 2023, the Parties entered into the First Amendment to the Contract to update locations for services; and,

WHEREAS, the Parties amended the Contract to update locations for services and increase the annual service amount by \$58,036.00 with a new annual total of \$910,696; and,

WHEREAS, CPO has extended the RCA through September 30, 2025; and,

WHEREAS, the Parties now desire to amend the Contract to extend the term, update locations for services and increase the annual service amount by \$11,377.17 with a new annual total of \$922,074 and increase the additional service amount by \$58,036.00 with a new additional service total of \$450,000 per year; and,

NOW THEREFORE, the Parties agree as follows:

AMENDMENT TO CONTRACT ARTICLES

- 1. Article 2 shall be amended to include the following:
 - Contract shall be extended through September 30, 2025, unless otherwise terminated as provided herein.
- 2. Attachment A shall be removed and replaced with the Attachment A as attached hereto.
- 3. Attachment B shall be removed and replaced with the Attachment B as attached hereto.
- 4. All other terms and conditions in this Contract shall remain unchanged and with full force and effect.

Page 2 of 69

File No.: 2214901

Signature Page

IN WITNESS WHEREOF, the Parties hereto have executed this Contract on the date following their respective signatures.

JOHNSON CONTROLS FIRE PROTECTION LP*

Kathleen Nielsen	Kathleen Nielsen	Total Service	3/13/2025 4:24 PM PE
Signature	Name	Title	Date
Signature	Name	Title	Date
COUNTY OF ORANGE, COUNTY AUTHORIZE	-	the State of California	
Signature	Name	Title	Date
APPROVED AS TO FORM:			
(ed by: Iam Muli		
Byc880	puty		
Date3/14/2	2025 7:30 AM PDT		

^{*} If the contracting party is a corporation, (2) two signatures are required: one (1) signature by the Chairman of the Board, the President or any Vice President; and one (1) signature by the Secretary, any Assistant Secretary, the Chief Financial Officer or any Assistant Treasurer. The signature of one person alone is sufficient to bind a corporation, as long as he or she holds corporate offices in each of the two categories described above. For County purposes, proof of such dual office holding will be satisfied by having the individual sign the instrument twice, each time indicating his or her office that qualifies under the above described provision. In the alternative, a single corporate signature is acceptable when accompanied by a corporate resolution demonstrating the legal authority of the signee to bind the corporation.

Page 3 of 69

File No.: 2214901

ATTACHMENT A SCOPE OF WORK

I. SCOPE OF WORK

Under this Contract, Fire Alarm System Maintenance-Repair shall be provided to OC Public Works/OC Facilities Operation (hereinafter OC Public Works/OCFO). The work shall consist of inspecting and testing 100% of the fire systems as listed in Section XI - List of Locations and Equipment. Maintaining the fire systems to include all of its component parts and repairing the systems as necessary to keep the systems operational at all times. Contractor shall furnish all labor, tools, equipment, incidentals and instruments required to maintain and test the fire systems in accordance with the manufacturer's specifications, including any special diagnostic or adjustment tools, lift equipment or instruments.

II. MATERIALS

- A. All parts and materials shall be new and shall meet or exceed the original equipment manufacturer's specifications.
- B. Any parts other than those manufactured by the original equipment manufacturer shall be approved by the County before they are used for work under this Contract.
- C. Contractor shall maintain a reasonable supply system for acquisition of additional parts either immediately or with minimal delay.
- D. Contractor shall maintain a crash kit as stated in <u>Section V Special Requirements</u> paragraph 12.

III. INSPECTION AND TESTING

A. Fire Alarm System:

<u>Test and Inspect 100%</u> of all fire alarm system components each calendar year to include, but not be limited to, the following:

- 1. Fire Alarm Control Panel
- 2. Smoke and Duct Detectors
- 3. Heat Detectors
- 4. Manual Pull Stations
- 5. Audible Devices (including firemen's phone systems, stairwell phones and public address systems)
- 6. Visual Devices
- 7. HVAC and Smoke Systems
- 8. Elevator capture primary and secondary
- 9. Won Doors
- 10. Door Holders and Closers

- 11. Battery Backup
- 12. Annunciators
- 13. Dialer
- 14. Independent Power Supplies
- 15. Tamper Switches
- 16. Post Indicator valves
- 17. Monitor Modules
- 18. Control Modules
- 19. Relays

B. Smoke Detectors:

- 1. <u>Clean all smoke and/or duct detectors once (1) each calendar year</u> during the first (1st) week of the first (1st) month of each year of the Contract.
- 2. Test the sensitivity of all smoke and/or duct detectors once (1) every other calendar year during the first (1st) week of the third (3rd) month commencing with the first (1st) month after the effective date of the Contract.
- 3. Follow the manufacturer's instructions in cleaning and testing smoke and/or duct detectors.
- 4. Cleaning shall involve the use of Vacuuming; Static Free Compressed Air and a Chemical Cleaning/wash for each detector.
- 5. Contractor shall provide within fourteen (14) days of the conclusion of each scheduled sensitivity test a device-by-device report of individual smoke detectors sensitivity readings. Smoke detectors that are tested and determined to be outside the acceptable range shall be replaced after inspection for no additional charge. County shall incur no additional charge if a replacement base or programming of smoke heads is needed.
- 6. Maintain a record of each inspection, test, certification and repair. File a copy of the inspection and test document in the log book in the Fire Control Room or as designated by the Building Coordinator of the facility. Submit one copy of the document to OC Public Works/OCFO, Attention Project Manager. In order to receive payment, all of the above requirements must be met. The inspections, general maintenance, test results, repair and certification reports must be submitted with the monthly, quarterly and semi-annual and annual invoice(s) and a work order describing the service and the work order must be signed by the facility contact.

C. <u>Halon fire suppression system</u>

1. Inspect and <u>test 100%</u> of the Halon fire suppression systems, pre-action systems and hood suppression systems <u>semi-annually</u> to include, but not be limited to the following:

Page 4 of 69

File No.: 2214901

a. Inspect Agent Distribution Containers, Piping and Nozzles

- b. Inspect pressurization gauge on agent storage container.
- c. Test Halon/ and Fire Control Pane. (Pressurization gauge on agent storage container)
- d. Test Battery Back-Up Systems
- e. Test Alarm Bells
- f. Test Alarm and Discharge Horns
- g. Test Alarm and Discharge Strobe Lights/Beacons
- h. Test Manual Pull Stations
- i. Test Under-floor smoke detectors (3rd floor 320 N. Flower St. and 1400 S. Grand Ave.)
- j. Test Ceiling smoke detectors
- 2. Facilities with Halon Systems and Pre-Action Systems:
 - a. Testing shall be done Monday-Friday:
 - (1) OC Registrar of Voters, 1300 South Grand Avenue, Building C, Santa Ana System located 1st floor computer room.
 - b. Testing shall be done on Saturday only:
 - (1) District Attorney, 300 North Flower Street, Santa Ana Systems located in the basement in Room B-04 and on the 3rd floor in the communication room.
 - (2) Sheriff Forensic, 320 North Flower Street, Santa Ana System is located on the 2nd, 3rd and 4th floors. Building Coordinator must be notified before scheduling test.
 - (3) Hall of Administration, 333 Santa Ana Blvd., Santa Ana 3rd floor.
 - (4) County Administration South (CAS) 601 N. Ross Street, Santa Ana

Page 5 of 69

File No.: 2214901

3. Hood Suppression Systems:

Testing shall be done Monday-Friday:

- a. Manchester Marketplace cafeteria One Unit
- b. Youth Guidance Center cafeteria Two Units
- c. Juvenile Hall Four Units
- d. Youth Leadership Academy Two Units
- e. Joplin One Unit

- f. Yale Transitional Center Three Units
- g. Health Care Agency 23228 Madero One Unit

Maintain a record of each inspection, each test, certification and repair. File a copy of the inspection and test document in the log book in the Fire Control Room or as designated by the Building Coordinator of the facility. Submit one copy of the document to the attention of the OC Public Works/OCFO Project Manager of designee. In order to receive payment, all of the above requirements must be met. The inspections, general maintenance, test results, repair and certification reports must be submitted with the monthly, quarterly and semi-annual and annual invoice(s) and a work order describing the service and the work order must be signed by the facility contact.

D. Fire Sprinkler System

- 1. <u>Inspect 100%</u> of all fire sprinkler systems each **calendar year** to include, but not be limited to the following:
 - a. Post Indicator valves
 - b. Water Flow Devices
 - c. Tamper Devices
 - d. Control Valve Devices
 - e. Pressure Devices
 - f. Sprinkler Heads
 - g. Piping
 - h. Bracing
- 2. <u>Test 100%</u> of the fire alarm system quarterly each **calendar year** to include, but not limited to, the following:
 - a. Water Flow Devices
 - b. Tamper Devices
 - c. Control Valve Devices
 - d. Pressure Devices
 - e. Sprinkler Heads
 - f. Piping
 - g. Post Indicator valves
- 3. <u>Conduct quarterly inspection</u> and test the first (1st) week of the first (1st) month of each quarter commencing with the first (1st) month after the effective date of the Contract.

E. Pressure Reducing Valve

Provide a 5 year Pressure Reducing Valve (PRV) test (if applicable). Schedule for the PRV testing will be subject to County approval and will be **weekend work only**.

- 1. Test for proper operation by injecting smoke into the detection chamber. (3 to 5 second response)
- 2. Test for trouble reporting by removing detector from circuit
- 3. Check operation of any indicator lamps or auxiliary relays
- 4. Test for proper operation in trouble condition
- 5. Test dry sand pipes (every 5 years)
- 6. <u>Visual Devices:</u>
 - a. Visually inspect for damage
 - b. Clean all devices
 - c. Check devices for proper (maximum) visibility
 - d. Test for proper operation in trouble condition by removing wire from the device (at the device, not the panel)

7. Flow and Tamper Devices:

- a. Visually inspect for damage
- b. Test by opening the inspection test valve on the sprinkler system (Retard should be 90 seconds or less)
- c. Verify proper zone annunciation
- d. Test for proper operation in trouble condition by removing wire from the device (at the device, not the panel)
 - (1) Test that removal of tamper switch cover initiates a trouble report
 - (2) Adjust devices in accordance with the manufacturer's specifications

Page 7 of 69

File No.: 2214901

- e. Visual Inspection and testing of:
 - (1) Water Flow Devices
 - (2) Tamper Devices
 - (3) Control Valve Devices
 - (4) Pressure Devices
 - (5) Sprinkler Heads

(6) Piping

F. Pre Action Sprinkler System

Inspect and test 100% of the Pre-action sprinkler System each calendar year to include, but not be limited to the following:

- a. Test Pre-Action Control Panel
- b. Battery Back-Up Systems
- c. Test Alarm Bells
- d. Test Alarm and Discharge Horns
- e. Test Alarm Discharge Strobe Lights/Beacons
- f. Manual Discharge Stations
- g. Smoke Detectors
- h. Graphic Display Panels (where applicable)
- i. Pre-Action Sprinkler System
- j. Valves
- k. Pressure Switches
- 1. Pressure gages
- m. Air Compressor

G. Leak Detection System

Inspect and test 100% of the Leak Detection System Semi Annually or twice per calendar year to include, but not limited to the following:

- a. Control Panel
- b. Leak Cable

H. Fire Pump Systems and Fire Hydrants Inspecting and Testing

<u>Inspect and test 100%</u> of the fire pumps system and fire hydrants each calendar year.

Conduct yearly inspection and test the third (3^{rd}) week of the first (1^{st}) month commencing with the first (1^{st}) month after the start of the Contract.

- 1. Fire pumps are located in the following facilities:
 - a. District Attorney 300 N. Flower St. Santa Ana
 - b. Sheriff's Forensic Headquarters 320 N. Flower St. Santa Ana
 - c. Hutton Towers Parking Structure 1002 Santa Ana Blvd. Santa Ana

 MA-080-22011385 Page 8 of 69

 Facility Security Systems, Equipment, and Related Services File No.: 2214901

- d. Stadium Parking Structure 1020 Civic Center Dr. Santa Ana
- e. Courthouse Parking Structure 690 Civic Center Dr. Santa Ana
- f. Manchester Parking Structures 343 & 313 City Dr. Santa Ana
- g. HCA Facility 405 West 5th Street, Santa Ana
- h. Joplin Youth Center 19480 Rose Canyon Road, Trabuco Canyon
- i. County Administration South (CAS) 601 N. Ross Street, Santa Ana
- i. Health Care Agency 401 W. Civic Center Santa Ana
- k. County Administration North, 400 W. Civic Center Drive, Santa Ana

2. Fire Hydrants are located at the following facilities:

- a. Youth Guidance Center 3030 N. Hesperian Rd. Santa Ana 2 Fire Hydrants
- b. County Operations Center (COC) 1300 S. Grand Ave. Santa Ana Bldg A 2 Fire Hydrants
- c. County Operations Center (COC) 1300 S. Grand Ave. Santa Ana Bldg C 2 Fire Hydrants
- d. OC Public Works/ Operations & Maintenance, 2301 N. Glassell Street, Orange
 2 Fire Hydrants
- e. OC Public Works/ Operations & Maintenance and OC Watershed Lab, 2245 N. Glassell Street, Orange 1 Fire Hydrant
- f. HCA Facility 401 S. Tustin St, Orange 4 Fire Hydrants
- g. Juvenile Hall 331 The City Drive, Orange 7 Fire Hydrants
- h. Probation/Verdugo 23271 Verdugo Drive, Laguna Hills 1 Fire Hydrant
- i. Social Services Agency/Sheriffs Communications 840 N. Eckhoff St., Orange
 4 Fire Hydrants
- j. Yale Transitional Center 2229 S. Yale Street, Santa Ana 3 Fire Hydrants
- k. County Administrative South (CAS) 601 N. Ross Street, Santa Ana 1 Fire Hydrant
- 1. Health Care Agency 23228 Madero, Mission Viejo 2 Fire Hydrants
- m. County Administration North, 400 W. Civic Center Drive, Santa Ana 2 Fire Hydrants

Page 9 of 69

File No.: 2214901

I. Monthly Fire Pump Churn

1. Perform monthly fire pump churn.

- 2. Test jockey pump for correct start and stop psi.
- 3. Document start and stop psi.
- 4. Check fire pump controller for proper operation.
- 5. Check all lamps and replace as needed.
- 6. Test the Annunciators located in the fire rooms on the first floor at the District Attorney, 300 North Flower and the Sheriff's Forensic Headquarters 320 North Flower, Santa Ana.
- 7. Keep fire pump room in working condition.
- 8. Contractor to coordinate the pump churn with the OC Public Works/OCFO. Inform Project Manager or designee of any potential problems with the fire pump.
- 9. County shall be responsible for the fire pump repairs.
- 10. Contractor to assist in alarm portion when testing of pumps.

J. Smoke Evacuation and Stairwell Pressurization Testing and Certification

- 1. Test the total of four (4) stairwells annually per calendar year at the District Attorney, 300 North Flower and at Sheriff Forensic, 320 North Flower Street, Santa Ana.
- 2. <u>District Attorney, 300 North Flower Street, Santa Ana</u>
 - a. The smoke evacuation system consist of two (2) supply fan SF-1 and SF-2 and two return fans RF-1 and RF-2 and one smoke exhaust SE-1.
 - b. Supply air dampers on all floors, return air damper on all floors, smoke exhaust dampers on all floors.
 - c. The smoke evacuation panel is equipped with manual control switches for the fire fighter operation.
 - d. Activation of any fire alarm in the building causes automatic activation of the smoke evacuation system as follows:
- 3. Sheriff's Forensic Headquarters, 320 North Flower Street, Santa Ana
 - a. Two stairwell shaft pressurize fans are located on the first floor. Each stairwell shafts are to provide positive pressure inside the stairwell shafts over the building floors.
 - b. The system is an auxiliary function of the fire life safety and it is designed for automatic activation once a fire alarm is received at the building fire alarm panel.

Page 10 of 69

File No.: 2214901

- c. Manual controls are also available.
- 4. The Smoke Evacuation and Stairwell Pressurization tests shall be done on Saturdays. Project Manager or designee and Building Coordinator must be notified before testing. Maintain a record of each inspection, each test, certification and repair. File a copy of

the inspection and test document in the log book in the Fire Control Room or as designated by the OC Public Works/OCFO, Project Manager. <u>In order to receive payment</u>, all of the above requirements must be met. The inspections, general maintenance, test results, repair and certification reports must be submitted with the monthly, quarterly and semi-annual and annual invoice(s) and a work order describing the service and the work order must be signed by the facility contact.

K. Minimum Requirements for Inspection and Testing

- 1. <u>Contractor shall:</u>
 - a. Ensure all lamps and switches are properly labeled and readable
 - b. Clean the control panel, all relays and all connections
 - c. Check the tightness of all connections
 - d. Activate each zone and test proper operation of:
 - (1) Zone Lights
 - (2) Trouble Lamps, Switches and Devices
 - (3) Output to Remote Annunciators
 - (4) City Connection
 - (5) Auxiliary Functions
 - e. Adjust the control components in accordance with the manufacturer's specifications
 - f. Ensure control panel is fully functional in regular mode and emergency power mode
 - g. Ensure operating instructions are conspicuous
 - h. Smoke Detectors and Duct Detectors:
 - (1) Visually inspect for damage
 - (2) Clean to remove any dirt, dust and/or deposits

OR

- (1) Replace with a backup detector, which has previously been cleaned
- (2) Test for proper operation by injecting smoke into the detection chamber. (3 to 5 second response)
- (3) Test for trouble reporting by removing detector from circuit
- (4) Check operation of any indicator lamps or auxiliary relays
- (5) Test for proper operation in trouble condition

- i. <u>Smoke Detectors and Duct Detectors Sensitivity</u>: (See frequency of testing herein.)
 - (1) Test sensitivity in accordance with the manufacturers specifications using appropriate and approved testing devices
 - (2) Record results of sensitivity test (greater than 0.5 but less than 3.8)
 - (3) Clean any detector that fails sensitivity test
 - (4) Retest any detector that fails sensitivity test
- (5) Replace any detector that fails a second sensitivity test

2. Heat Detectors:

- a. Visually inspect for damage
- b. Clean to remove any dirt, dust and/or deposits or replace with a backup detector, which has previously been cleaned
- c. Test for proper operation by increasing the temperature on rate of rise type detectors. (15 degrees per minute) or test wiring on fixed temperature detectors by shorting across the terminals
- d. Test for trouble reporting by removing a detector wire from circuit (at the device, not the panel).
- e. Test for proper zone annunciation
- f. Test for proper operation in trouble condition

3. Manual Pull Stations:

- a. Visually inspect for damage
- b. Replace any missing or broken rods
- c. Test for proper operation by pulling station handle
- d. Test for proper zone annunciation
- e. Test for proper operation in trouble condition by removing wire from terminal strip

Page 12 of 69

File No.: 2214901

- f. Adjust set screws and switches
- 4. <u>Audible Devices</u>: (<u>Including firemen's phone system</u>, <u>stairwell phones and public address systems</u>)
 - a. Visually inspect for damage
 - b. Check devices for proper (maximum) audibility

- c. Adjust devices in accordance with the manufacturer's specifications (proper decibel levels
- d. Check devices for proper sound quality
- e. Test for proper operation in trouble condition by removing wire from the device (at the device, not the panel)

5. <u>Visual Devices:</u>

- a. Visually inspect for damage
- b. Clean all devices
- c. Check devices for proper (maximum) visibility
- d. Test for proper operation in trouble condition by removing wire from the device (at the device, not the panel)

6. Flow and Tamper Devices:

- a. Visually inspect for damage
- b. Test by opening the inspection test valve on the sprinkler system (Retard should be 90 seconds or less)
- c. Verify proper zone annunciation
- d. Test for proper operation in trouble condition by removing wire from the device (at the device, not the panel)
 - (1) Test that removal of tamper switch cover initiates a trouble report
 - (2) Adjust devices in accordance with the manufacturer's specifications

Page 13 of 69

File No.: 2214901

7. HVAC Shut Down:

- a. Test for proper system shut down upon alarm
- b. Test for proper system restart upon end of alarm

8. Smoke Purge System:

- a. Visually inspect system
- b. Test for proper system operation
- c. Test for proper operation in trouble condition

9. Door Release Devices:

- a. Visually inspect for damage
- b. Test for proper release upon alarm

c. Test to ensure door closes quickly and completely

10. Halon Systems:

- a. Service on an Annual Basis
 - (1) Smoke Detectors
 - (2) Sequence each detector in an alarm condition. Each detector will be set in the alarm mode using a test gas, external magnet or appropriate device.
- b. Service Procedures on a Semi-Annual Basis
 - (1) Control Panel and Battery System.
 - (a) Verify LED operation for power, trouble and alarm conditions.
 - (b) Test battery for charge and automatic switch-over capability.
 - (c) Operate test and reset switches for sequence and function.
 - (d) Visual inspection of terminations and wiring within the panel.
 - (2) Smoke Detectors Visually inspect detectors.
 - (3) Alarm Bells and Discharge indication Horns Check individually for proper operation.
 - (4) Manual Pull and Abort Stations Verify individual operation.
- c. <u>Auxiliary Devices and Systems Shut-Downs Air conditioning, heating, ventilating systems and power equipment shutdowns; shall be performed each calendar year.</u>
 - (1) Check Room Integrity.
 - (2) Agent Storage Containers/Distribution Piping-Nozzles
 - (3) Check agent quantity and pressure of refillable containers.
 - (4) Visually inspect accessible discharge piping and nozzles for integrity and corrosion.

Page 14 of 69

File No.: 2214901

11. Sprinkler System

Visual Inspection and testing of:

- a. Water Flow Devices
- b. Tamper Devices
- c. Control Valve Devices

- d. Pressure Devices
- e. Sprinkler Heads
- f. Piping

12. <u>Pre-Action Systems Inspection</u>:

- a. Visual Inspection and Testing:
 - (1) Fire Department Connection
 - (a) Check for inlet cap
 - (b) Check couplings for damage
 - (c) Check gaskets for deterioration
 - (d) Check clapper valves closure
 - (e) Check for visual or exterior obstruction
 - (f) Check identification sign
 - (2) Control Valves
 - (a) Check for valve leakage
 - (b) Check that valve is secured in open position
 - (c) Check bracing for damage
 - (3) Controls
 - (a) Check pressure switches
 - (b) Check solenoid operation
 - (c) Check pneumatic signal
 - (d) Check tamper switch
 - (4) Riser
 - (a) Check for leakage
 - (b) Check for visible or exterior obstruction
 - (c) Check bracing for damage
 - (5) Gauges
 - (a) Check for damage
 - (b) Check that valve is open

- (c) Record system pressure
- (d) Record supply pressure
- (6) Sprinklers
 - (a) Check for leaking, corrosion or painting
 - (b) Check for obstruction of flow
 - (c) Check for proper installation positions
 - (d) Check that extra sprinklers and wrench are available
 - (e) Check extra sprinklers for the same orifice size and temperature rating as sprinklers in the system.
- (7) Testing Inspections:
 - (a) Test operation of Tamper Switches, Low Pressure Switches.
 - (b) Test and inspect the air compressor.
- b. Service Procedures on a Semi-Annual Basis
 - (1) Control Panel and Battery System.
 - (a) Verify LED operation for power, trouble and alarm conditions.
 - (b) Test battery for charge and automatic switchover capability.
 - (c) Operate test and reset switches for sequence and function.
 - (d) Visual inspection of terminations and wiring within the panel.
 - (2) Smoke Detectors.

Visually inspect detectors

- c. Service Procedures on an Annual Basis
 - (1) Place each detector in alarm using an approved method.
 - (2) Perform maintenance as described in semi-annual inspection procedure.
 - (3) Alarm Bells / Horns

Check individually for full sound power operation.

(4) Manual Pull Stations

Verify individual operation

(5) Auxiliary Devices and Systems Shutdown

Air conditioning, heating, ventilating systems and power equipment shut-downs; will only be performed by special request.

- (6) Pre-Action Riser
 - (a) Activate solenoid (with detection system).
 - (b) Release air pressure from system using inspectors test.
 - (c) Confirm operation of valve to open position.

13. Leak Detection System

- a. Perform a complete visual inspection of leak detection panel.
 - (1) Test continuity and tighten all connections in panel and cable.
 - (2) Test the leak detection cable at various locations and confirm against graphic map of cable layout.
 - (3) Test probes for operation.
 - (4) Test all panel LEDS for proper operation.

b. Batteries:

- (1) Visually check for any leakage or corrosion
- (2) Clean any corrosion from terminals
- (3) Check the tightness of all connections
- (4) Adjust the charge rate in accordance with the manufacturer's specifications
- (5) Disconnect electrical (AC) power and test the system while on (DC) battery power
- (6) Load test the batteries annually in accordance with the manufacturer's specifications

14. Smoke Evacuation Test:

- a. <u>District Attorney, 300 North Flower and Sheriff's Forensic, 320 North Flower</u> Street, Santa Ana:
 - (1) The HVAC system shall transfer to the smoke control mode automatically when the fire alarm system is activated.
 - (2) When the HVAC system transfers to the smoke control mode the following sequences of events shall occur:
 - (a) Energize fans SF-1 and SE-1.

- (b) De-Energize RF-1, RF-2, and SF-2.
- (c) DE-Energize EF-1, EF-2 and EF-3.
- (d) Close supply air dampers on all floors.
- (e) Close return air dampers on all floors.
- (f) Close smoke exhaust air dampers on all floors.
- (g) Open smoke exhaust air dampers on involved floor.
- (h) Open supply air dampers on floor above and below involved floor.
- b. <u>If any defects are found while testing the supply air dampers, Contractor shall</u>
 notify the OC Public Works/OCFO Project Manager or designee and complete the repairs of the supply air dampers as soon as possible.
- c. Maintain a record of each inspection, test, certification and repair. File a copy of the inspection and test document in the log book in the Fire Control Room or as designated by the Building Coordinator of the facility. Submit one copy of the document to OC Public Works/OCFO, to the attention of the Project Manager or designee. In order to receive payment, all of the above requirements must be met. The inspections, general maintenance, test results, repair and certification reports must be submitted with the monthly, quarterly and semi-annual and annual invoice(s) and a work order describing the service and the work order must be signed by the facility contact.

L. Monthly General Maintenance:

In addition to the requirements outlined above for inspection and testing, Contractor shall monthly:

- a. Inspect, test, adjust and clean the fire alarm system as needed, or when required by the Site Coordinator.
- b. Perform repairs on the system as needed to maintain the system in operational condition at all times.
- c. Initiate repairs in accordance with the requirements herein. Maintain the entire system in operable condition at all times.
- d. Maintain a record of all maintenance services and provide the OC Public Works/OCFO Project Manager or designee with copies of the same.

IV. REPAIRS

A. Routine Repairs and Replacements:

Provide all necessary repairs, (including ground faults) to include labor, service calls, emergency service calls, replacement parts, wiring, peripherals, control boards, modules to include batteries, as necessary, to maintain fire alarm system in a safe, working condition, for no additional cost to County. This Contract is intended to provide full maintenance and

Page 18 of 69

File No.: 2214901

repair services for the operation and maintenance for the fire system in order to meet the requirements of the of the regulatory agency with jurisdiction over the facility. This includes software on Simplex Grinnell panels, except obsolete/end of life equipment. Excluded Items: Vandalism, Acts of God, Force Majeure, water damage, construction related items, tenant improvements, upgrades, obsolete equipment. Sprinkler system/devices (such as sprinkler heads, waterflow switches, fire pumps, sprinkler pipes, risers, and backflow devices, etc. This is not a complete list of all sprinkler devices). See Section XII – Additional Work for procedures regarding items not covered under this Scope of Work

B. Contractor shall perform all Emergency Repairs and Replacements as follows:

- 1. Respond to trouble alarm or requests for service within fifteen (15) minutes by telephone. Contractor shall provide on-site service within four (4) hours after notification of the alarm or request by County personnel. Identify all repairs or replacement parts needed to repair the fire systems.
- 2. Provide all necessary repairs, (including ground faults) to include labor, service calls, emergency service calls, replacement parts, wiring, peripherals, control boards, modules, to include batteries, as necessary, to maintain fire alarm system in a safe, working condition, for no additional cost to County.
- 3. This Contract is intended to provide full maintenance and repair services required for the operation and maintenance of the fire system in order to meet the requirements of the regulatory agency with jurisdiction over the facility. This includes software on Simplex Grinnell panels, except obsolete/end of life equipment. Excluded Items: Vandalism, Acts of God, Force Majeure, water damage, construction related items, tenant improvements, upgrades, obsolete equipment. Sprinkler system/devices (such as sprinkler heads, waterflow switches, fire pumps, sprinkler pipes, risers, and backflow devices, etc. This is not a complete list of all sprinkler devices). See Section XII Additional Work for procedures regarding items not covered under this Scope of Work.

V. SPECIAL REQUIREMENTS

Contractor shall:

- 1. Contractor shall hold a valid C-10 and C-16 Contractor licenses issued by the California State Contractor's License Board. The two licenses shall be valid as long as the Contract is in place.
- 2. Comply with all Fire Code regulations and all special regulations (ANSI/NFPA 72 and ANSI/NFPA 25) and/or requirements of the local fire authority.
- 3. Perform all testing in accordance with the manufacturer's specifications.
- 4. Prepare and submit all reports on inspections, testing and service as required by the responsible regulatory agency. Provide a copy of those reports and proof of submittal upon request to the Contract Administrator.
- 5. Contractor shall include the name, location and type of work to be performed by any and all subcontractors. If a subcontractor is proposed for a portion of the work where Contractor qualifications and experience are required, references from at least three (3) previous projects of this type during the past two years shall be provided.

County of Orange OC Public Works

- 6. Any attempt by Contractor to assign or subcontract any performance of this Agreement without the express written consent of County shall be invalid and shall constitute a breach of this Agreement. Whenever a Contractor-Sub-Contractor agreement is authorized by the County, the agreement terms thereof shall incorporate by reference and not be in conflict with the terms of this Contract. Sub Contracting shall only be permitted for software panel malfunctions and software up-grades, specialty functions; i.e., pre-action systems, stairwell pressurization, fire pump tests, fire pump churn and fire hydrant testing.
- 7. Contractor shall possess ten (10) years experience in the type of work required by this Contract and shall demonstrate that experience by providing references for at least three (3) facilities. References must show that Contractor has or is currently providing service for the fire alarm system with the specific equipment (manufacturer and model) covered by this Contract.
- 8. Contractors' Technicians shall be factory-trained **and/or** experienced in servicing the specific equipment included under this Contract. Contractor shall provide at least five (5) technicians factory certificates with its bid. Each service technician shall be knowledgeable and capable of diagnosing and repairing problems with both electrical and mechanical portions of the fire systems. Contractors' technicians shall also be certified by the National Institute Certification of Engineering Technologies (NICET).
 - Provide a copy of certification for no less than but not limited to five (5) technicians with (NICET) certificates.
- 9. Contractor shall inspect and/or test the systems upon award of contract to assure that the system is fully operational and/or identify and deficiencies that require correction.
- 10. Thereafter, Contractor shall be fully responsible for the maintenance and repair of the systems. Contractor shall include the following statement on the last billing for each year of the Contract: "I (authorized representative) certify under penalty of perjury that all required inspections and tests of the fire system have been performed in accordance with the Contract and regulatory requirements."
- 11. Contractor shall ensure that its inspection, testing, maintenance and repair services will not interrupt County operations except in those instances where such interruption is unavoidable and has been scheduled and the facility occupants have been duly notified. Any unscheduled disruption will be grounds for Contract termination for cause and Contractor may be held liable for all County costs associated with that interruption.
- 12. Contractor shall keep a surplus of manufacturer's equipment for replacement of defective devices on hand to reduce operational down time. This surplus will consist of <u>Crash Kit</u> with smoke detectors, heat detectors, audio/visual devices, speakers, ZAMS, circuit boards and power supplies at County expense and stored at County site.
- 13. Contractor shall provide, when available, the latest version of software on Simplex Grinnell panels, and all programming necessary for operation of system, except for panels that are obsolete/end of life.

Page 20 of 69

File No.: 2214901

- 14. Contractor shall perform **two** (2) fire drill tests per designated facilities **per calendar year.** The two fire drills per calendar year are to be completed the third month after the award of the contract and the ninth month after the award of the contract.
- 15. Contractor shall perform **twelve** (12) fire drill tests per calendar year at the **Youth** Guidance Center.
- 16. The fire drill shall be coordinated with OC Public Works/OCFO Project Manager or designee and the Building Coordinator (As listed in Section XI List of Locations and Equipment).

VI. GENERAL REQUIREMENTS

- A. Furnish and maintain a telephone answering system with twenty-four (24) hour, seven (7) day per week service, capable of contacting and dispatching service personnel.
- B. Perform all work in accordance with generally accepted industry practice for safe and efficient operation.
- C. Warranty all labor and materials used in performance of this work for a minimum of one (1) year (365 days) after completion of the repairs. Immediately initiate any corrective work needed in response to a warranty item.
- D. Contractor shall furnish to County at the conclusion of each inspection a detailed, device by device, report that shows the status of the system and devices tested.
- E. In order to receive payment, all of the above requirements must be met. The inspections, general maintenance, test results, repair and certification reports must be submitted with the monthly, quarterly and semi-annual and annual invoice(s) and a work order describing the service and the work order must be signed by the Building Coordinator or designee.

VII. GENERAL CONDITIONS

- A. All work shall be subject to the inspection and approval of County either by the Contract Administrator or a designated representative prior to acceptance and approval for payment.
- B. County reserves the right to use alternate sources for completion of the work, to obtain competitive prices on any repair and to utilize any information obtained under this Contract relative to necessary materials and repairs it deems appropriate.
- C. Workers shall be courteous to the public and county staff that are utilizing the facilities but shall be responsive only to the requests of the Site Coordinator. Workers shall direct all inquiries or requests to the Building Coordinator or designee.

VIII. SCHEDULING OF INSPECTIONS AND TESTS

- A. All work shall be performed during normal working hours, i.e. 8:00 a.m. to 5:00 p.m. (except for emergencies and testing for Various County Facilities). Please Note: Various County facilities shall be tested and inspected on Saturdays (See Section XI List of Locations and Equipment).
- B. Contractor shall contact the Building Coordinator or designee, a minimum of seven (7) working days in advance, to schedule and/or confirm the date and time of maintenance or service prior to performing work. Failure to schedule and/or confirm the date and time

maintenance or service will be performed may result in (1) denied access to the facility and no cost to County for any consequential cost and/or (2) denied payment for any maintenance or service performed.

- C. Contractor to notify the building's central fire alarm station, Building Coordinator and all occupants in the immediate area that a functional system test is about to be conducted and again upon completion. Coordinate the completion of the service and leave the system in fully operational condition.
- D. If complete repairs cannot be accomplished within normal work hours, then the affected area or system function shall be bypassed to allow the remaining portions of the system to remain operational.

IX. SHERIFF'S FACILITIES' SECURITY REQUIREMENTS

A. Background Checks:

- 1. All personnel to be employed in performance of the work under this Contract shall be subject to Probation and Orange County Sheriff's background check and clearance, as authorized under the law, prior to their entering a Sheriff's Department facility. Failure of any employee to pass the Orange County Sheriff's Departments background checks shall not be the responsibility of County and shall not constitute an increase in the cost to County.
- 2. Contractor shall prepare and submit an information form to the Sheriff's Department Building coordinator Paul Kingsley (for all persons who will be working on or who will need access to the facility.
- 3. Said information forms will be provided by the Building coordinator Paul Kingsley at 714-815-1118, upon request, and will be screened by the Orange County Sheriff's Department. <u>Background appointments are to be set-up three (3) weeks in advance before starting work.</u>
- 4. Said information forms shall be thoroughly and accurately completed. Omissions or false statements, regardless of the nature or magnitude, may be grounds for denying clearance.
- 5. No person shall be employed on this work that has not received prior clearance from the Orange County Sheriff's Department.
- 6. The Orange County Sheriff's Department need not give a reason clearance is denied.

B. Performance Requirements

Contractor shall ensure that:

- 1. All Contractor vehicles parked on site shall be locked and thoroughly secured at all times.
- 2. All tools and materials shall remain in Contractor's possession at all times and shall never be left unattended. All lost or misplaced tools or materials shall be reported immediately to the escort or Control Desk in Sheriff's facilities.

Attachment A

- 3. All materials, large and small resulting from removal operations or new construction (especially those materials that could be used to inflict injury such as nails, wire, wood, etc.) shall be continuously cleaned up as work progresses.
- 4. All work areas shall be secured prior to the end of each workday.
- 5. Workmen shall have no contact, either verbal or physical, with minors, wards or inmates in any facility. Specifically:
- 6. Do not give names or addresses to minors, wards or inmates.
- 7. Do not receive any names or addresses from minors, wards or inmates
- 8. Do not disclose the identity of any minor, ward or inmate to anyone outside the facility.
- 9. Do not give any materials to minors, wards or inmates.
- 10. Do not receive any materials from minors, wards or inmates (including materials to be passed to another individual or minor, ward or inmate). Failure to comply with these requirements is a criminal act and can result in prosecution.
- 11. Workmen shall not smoke or use profanity or other inappropriate language while on site.
- 12. Workmen shall not enter the facility while under the influence of alcohol, drugs or other intoxicants and shall not have such materials in their possession.
- 13. Workmen shall plan their activities to minimize the number of times they must enter and exit a facility, i.e., transport all tools, equipment and materials needed for the day at the start of work and reduce all breaks to the absolute minimum.
- 14. It is Contractor's responsibility to pass these rules on to each of Contractor's employees working at Sheriff's Department Facilities.

C. Security Requirements:

Contractor's personnel shall:

- 1. Report to the Control Desk upon arrival at the job site. Control will ensure that the work area is clear and ready for work to begin. Follow any special security requirements issued by the on site coordinator.
- 2. Report to the Control Desk when leaving the facility, either temporarily or at the end of the workday.
- 3. Immediately report all accidents, spills, damage, unusual conditions and/or unusual activities to the Control Desk.

Page 23 of 69

File No.: 2214901

4. Restrict all activities to the immediate work site and adjacent assigned areas.

D. <u>Potential Delays / Interruptions</u>:

Contractor shall acknowledge that:

- 1. The primary purpose of the detention facilities is the safe and secure operation of those facilities.
 - Workmen shall immediately comply with all directions and orders issued by Sheriff's personnel, other than changers regarding the quality of work which will be controlled by the Building Coordinator Paul Kingsley.
 - b. Workmen may be delayed or denied assess to the facility.
 - c. Workmen may be ordered to leave a facility prior to the completion of their work or the end of the workday.
 - d. Workmen may be detained within a facility until an incident is resolved by Sheriff's personnel.
- 2. Contractor should allow for minor delays in its project schedule. Contractor should maintain a log of such delays during the course of the project. Contractor may submit a request for equitable adjustment for excessive delays or disruptions based upon proof of those delays and actual costs incurred by Contractor due to those delays.

X. SECURITY REQUIREMENTS FOR PROBATION FACILITIES

A. Background checks:

All Contractor personnel to be employed in performance of work under this Contract shall be subject to background checks and clearance prior to working in a youth detention facility.

Contractor shall prepare and submit an information form to County's Probation Department (See Exhibit - Orange County Probation - Vendor Clearance) for all persons who will be working or who will need access to the facilities. These information forms shall be submitted at least five County working days prior to the start of work on the Contract or prior to the use of any person subsequent to Contractor's start of work.

These information forms will be provided by County's Probation Department upon request and will be screened by County's Probation Department. These information forms shall be thorough, accurate, and complete. Omissions or false statements, regardless of the nature or magnitude, may be grounds for denying clearance. No person shall be employed under this Contract who has not received prior clearance from the Probation. Neither County nor the Probation Department needs give a reason clearance is denied. Background appointments are to be set-up three (3) weeks in advance before starting work.

B. Performance Requirements:

- 1. All Contractor vehicles parked on site shall be locked and thoroughly secured at all times.
- 2. All tools and materials shall remain in Contractor's possession at all times and shall never be left unattended. All lost or misplaced tools or materials shall be reported immediately to the security staff or Control in youth detention facilities or to the escort or Control in the Sheriff's facilities.

Page 24 of 69

- 3. All materials, large or small, (especially those materials that could be used to inflict injury, such as nails, wire, wood, etc.) shall be continuously cleaned up as work progresses.
- 4. All work areas shall be secured prior to the end of each work period.
- 5. Workers shall have no contact, either verbal or physical, with inmates in the facilities.

C. <u>Contractor's employees shall:</u>

- 1. Not give names or addresses to inmates;
- 2. Not receive any names or addresses from inmates (including materials to be passed to another individual or inmate);
- 3. Not disclose the identity of any inmate to anyone outside the facility;
- 4. Not give any materials to inmates; or
- 5. Not receive any materials from inmates (including materials to be passed to another individual or inmate).
- 6. Immediately report all accidents, spills, damage, unusual conditions and/or unusual activities to the Control Desk.
- 7. Securely close and check all gates and doors to ensure that they are tightly closed and locked.
- 8. Restrict all activities to the immediate work site and adjacent assigned areas.
- 9. Remain with the assigned escort at all times, unless otherwise directed by the on site coordinator.
- 10. Not smoke or use profanity or other inappropriate language while on site. Contractor's employees shall not enter the facility while under the influence of alcohol, drugs or other intoxicants and shall not have such materials in their possession. Contractor's employees shall plan their activities to minimize the number of times they must enter and exit a facility.
- 11. Transport all tools, equipment and materials needed for the day at the start of the work period and restrict all breaks to the absolute minimum.

Failure to comply with the above requirements is a criminal act and can result in prosecution.

D. <u>Contractor's personnel shall:</u>

- 1. Comply with the written schedule provided by County which shall clearly show the specific start and end times for each work day.
- 2. Arrive at the site no more than 15 minutes prior to the scheduled time or no more than 15 minutes after the scheduled time.

Page 26 of 69

File No.: 2214901

- 3. Report to the control desk and sign-in log, name, date and time upon arrival at the job site.
- 4. Report to the control desk and sign-out, name, and time when leaving the facility.
- 5. Control will ensure that the work area is clear and ready for work to begin. If a Contractor's employee is delayed or cancellation is necessary, the designated onsite coordinator or County's Contract Coordinator or his designee should be contacted immediately. Repeat problems will be grounds for remedial action which may include Contract termination.

XI. LIST OF LOCATIONS AND EQUIPMENT:

01. OC Public Works/OCFO, 1143 E. Fruit Street, Santa Ana Building Coordinator: Karl Zamora 714-667-8891

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Faraday - 7100
1	Dialer	Faraday
11	Pull Station	Faraday
93	Smoke Detectors	Faraday
16	Heat Detectors	Faraday
14	Audio/Visual	Faraday
35	Horns/ Stobes	Faraday
1	Annunciator	Faraday
1	Water Flow	
3	Tamper Switches	
1	NAC	Faraday
2	Tamper & Flow	

02. OC Public Works/Construction, 1152 E. Fruit Street, Santa Ana Building Coordinator: Blaine Thomann 714-667-4996

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Faraday – MPC 1500
1	Dialer	Silent Knight 5230
16	Pull Stations	Faraday
61	Smoke Detectors	Faraday
37	Horns/ Stobes	Faraday
31	Heat Detectors	Faraday
2	NAC	Faraday

Page 27 of 69

File No.: 2214901

1	Annunciator	Faraday
1	Water Flow	Faraday
3	Tamper Switches	Faraday
1	Dact	Faraday
1	PIV's	

03. OC Public Works/Fleet Maintenance Shop #1, 1102 E. Fruit Street Santa Ana Building Coordinator: Frank Avalos 714-955-0283

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Faraday-MPC 1500 Plvs
2	Darrian Campalar	RSE-300
3	Power Supply	Remote Signal Expander
1	Digital Dialer	Silent Knight-5104 B
28	Pull Stations	Faraday
20	Smoke Base-System Sensor Model # B210LP	Faraday
20	Photo Smoke Heads- System Sensor 2251B	Faraday
108	Monitor Modules	Faraday-M 501 M
80	Heat Detectors Heads	Chemtronics Model 601 Rate of Rise 200 F
35	Horn/Strobes	Faraday
19	Strobes Adjacent to	Faraday
4	Horns Exterior	Faraday
16	Smoke Detectors	Faraday
3	NAC	Faraday
1	Dact	Faraday

04. <u>County Operations Center, 1300 South Grand Avenue, Building A, Santa Ana</u>

Building Coordinators:

Registrar of Voters: Kim Hostler, 714-567-5107 Publishing Services: Kevin Hatanaka 714-470-9886

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Faraday-MPC 1000 Plus
1	Annunciator	Faraday RDCI
1	Remote Signal Expander	RSE-300 Remote Signal Exp
1	Digital Dialer	Silent Knight 5104-B
38	Smoke Detectors	Faraday
1	Heat Detectors	Faraday
44	Bases for above Sensors	Faraday

12	Pull Stations	Faraday
15	Monitor Modules	Faraday-M501m
5	Control Modules	Faraday
28	Strobes	Faraday
28	Horn/Strobes	Faraday
1	Water Flow Switch	Faraday
1	Tamper Valve	Faraday
2	Fire Hydrant	
1	NAC	Faraday
1	Dact	Faraday
2	Audio / Visual	
2	Abort	

05. <u>County Operations Center, 1300 South Grand Avenue, Building B, Santa Ana</u> Building Coordinator: Desiree Gonzalez 714-480-6463

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Gamewell-Flex 630
1	Annunciator	Gamewell
1	Digital Dialer	Silent Knight-5104B
3	Power Supplies 4- Zone Panels for Strobe Ckts.	Gamewell
88	Smoke Detectors	Gamewell
6	Duct Detectors	Gamewell
8	Pull Stations	Gamewell
66	Horn/Strobes	Gamewell
5	Control Modules	Gamewell
12	Monitoring Modules	Gamewell
6	Strobes	Gamewell
2	Exterior Horns	Gamewell
3	NAC	Gamewell

06. <u>County Operations Center, 1300 South Grand Avenue, Building C, Santa Ana</u> Building Coordinators: David Goulding 714-567-7934 (Primary) Justin Berardino 714-567-5103

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel 5820 XL	Silent Knigh
1	Annunciator 5104B	Silent Knight
1	Digital Dialer	Silent Knight
52	Smoke Detectors	Silent Knight
4	Control Modules Relay	Silent Knight
32	Heat Detectors	Silent Knight
8	Pull Stations	Silent Knight

Page 29 of 69

File No.: 2214901

9	Monitor Modules	Silent Knight
16	Bells	Silent Knight
4	Duct Detectors	Silent Knight
1	Exterior Bell	Silent Knight
1	Halon System 3210	Fenwal
1	W/F Switch	
1	PIV Tamper	
2	Fire Hydrant	
48	Horn / Strobes	Silent Knight
1	NAC	Silent Knight
2	Waterflow	Silent Knight
2	Tamper Switches	Silent Knight
1	Dact	Silent Knight
3	Audio/ Visual	
1	Abort	

07. <u>Law Library, 515 North Flower Street Santa Ana</u> Building Coordinator: Kelsey Chrisley - 714-834-3003

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Notifier
1	Digital Dialer	Notifier
109	Smoke Detectors	Notifier
12	Pull Stations	Notifier
42	Horn/Strobes	Notifier
7	Heat Detector	Notifier
2	Tamper Switches	Notifier
2	Water Flow	Notifier
4	Smoke Guard	
2	NAC	Notifier
3	Duct Detectors	Notifier
1	Annunciator	Notifier
17	Strobes/Visual	Notifier
7	Beam Smoke Detectors	Notifier
3	AHU input, relays, ect.	Notifier
4	Power Supply	
1	Dact	Notifier
4	Tamper & Flow	
23	Strobes/Horn	Notifier

08. <u>Health Care Agency, 1725 West 17th Street, Santa Ana</u> Building Coordinator: Rosa Cortez 714-834-8008

I	QTY	DESCRIPTION	MANUFACTURER
Ĭ	1	Fire Alarm Panel	Notifier-AM 2020

1	Dact (Dialer Panel)	Notifier
1	Annunciator	Notifier
168	Smoke Detectors	Notifier
14	Duct Detectors	Notifier
71	Strobes	Notifier
2	Water Flow	Notifier
6	Tamper Switches	Notifier
23	Pull Stations	Notifier
55	Strobe/Horns	Notifier
9	Audio/Visual 24 volt 4 ckt Power Supplies	Notifier
22	Horns	Notifier
5	NAC	Notifier
6	Door Holder	Notifier
4	Control Assemblies	Notifier

09. <u>Manchester Office Building, 301 City Drive Orange</u> Building Coordinators: Brandon Recendez 714-935-7427

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Gamwell-610
1	Annunciator	Gamewell
1	Dialer	Notifire-911P
38	Smoke Detectors	Gamewell
10	Duct Detectors	Gamewell
1	Tamper Switches	Gamewell
22	Pull Stations	Gamewell
1	Water Flow	Gamewell
159	Horns/Strobes	Gamewell
1	Pre-Action Riser E-3	Viking
1	Halon System 3210 (in Penthouse Telephone room)	Fenwal
5	NAC	Gamewell
1	Dact (Dialer Panel)	Gamewell
7	Tamper & Flow	
1	PIV's	
2	Audio / Visual	
1	Abort	

10. <u>Juvenile Hall, 331 City Drive, Orange</u>

Building Coordinator: Rick Allen 714-862-4888

County of Orange
OC Public Works Facility Sec

MA-080-22011385
Facility Security Systems, Equipment, and Related Services

Page 30 of 69 s File No.: 2214901

QTY	DESCRIPTION	COMPONENT	MANUFACTURER
7	Fire Panels	NFS-640	Notifier
522	Smoke Detectors	FSP-851	Notifier
197	Heat Detectors	FST-851	Notifier
169	Duct Detectors	FST-751-RP	Notifier
46	Pull Stations	NDG-12LX	Notifier
25	Monitoring Modules	FMM-1	Notifier
21	Control Modules	FEM-1	Notifier
155	Horn & Strobes		Notifier
4	NAC		Notifier
5	24VDC Relay Modules		Notifier
3	Door Holders		Notifier
25	Synchronized Modules		Notifier
12	Power Supply PF-24		
24	Batteries		
7	Water Flow		
7	Tamper Switches		
7	Fire Hydrants		
2	Hood Suppression Systems Juvenile Hall	PCL 460	Pyro Chem
2	Hood Suppression Systems Youth Leadership Academy	R 102	Ansul
4	Tamper & Flow		

11. Fleet Maintenance Shop # 2, 2023 West Collins Street, Orange Building Coordinator: Rick Allen 714-862-4888

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Panel NFW2-100	Notifier
1	Annunciator	Notifier
3	Horn /Strobes	Notifier
3	Strobes	Notifier
1	Outside Bell	Notifier
3	Smoke Detector	Notifier
11	Duct Detectors	Notifier
11	Monitor Moduals	Notifier
24	Batteries	
2	Pull Stations	Notifier
1	Water Flow	Notifier

Page 31 of 69

File No.: 2214901

Page 32 of 69

File No.: 2214901

2	Tamper Switches	Notifier
_	Tamper 5 witches	Notifici

12. OC Public Works/Agriculture Commissioner Lab/O&M Warehouse,

222 East Bristol Lane, Orange

Building Coordinator: Anna Watts 714-955-0109

QTY	DESCRIPTION	MANUFACTURER
1	Dialer	Silent Knight
1	Annunciator	Silent Knight
1	Water Flow Switch	Silent Knight
1	Outside bell	
1	Tamper Switches	Silent Knight
1	Fire Panel	Silent Knight

13. <u>Joplin Youth Center, 19480 Rose Canyon Road, Trabuco Canyon</u> Building Coordinator: Karl Zamora 714-667-8891

QTY	DESCRIPTION	MANUFACTURER
1	Main Panel (#4100U)	Simplex
5	Fire Alarm Control Panels (#4001)	Simplex
85	Smoke Detectors	Simplex
9	Bells	Simplex
30	Pull Stations	Simplex
15	Heat Detectors	Simplex
5	Water Flow	Simplex
1	Fire Pump & Controller	
11	Tamper Switches	Simplex
1	Jockey Pump	
	Batteries	
1	Hood Suppression System PCL 460	Pyro Chem
10	Duct Detectors	Simplex
43	Horn / Strobes	Simplex
1	NAC	Simplex
2	Annunciator	Simplex
6	Tamper & Flow	Simplex

14. <u>County Facility Laguna Niguel, 30143 Crown Valley Park Way, Laguna Niguel</u> Building Coordinator: Karl Zamora 714-667-8891

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Gamewell-IF 610

Page 33 of 69

File No.: 2214901

50	Smoke Detectors	Gamewell
1	Dialer	Notifier
2	Heat Detectors	Gamewell
10	Duct Detectors	Gamewell
25	Strobes	Gamewell
43	Horns/Strobes	Gamewell
1	Out Side Bell	Gamewell
9	Pull Stations	Gamewell
2	4 Zone Power Svp.	Altronics
22	Door Holders	Gamewell
2	Annunciator	Gamewell
1	Water Flow Switch	
2	NAC	Gamewell
1	Dact (Dialer Panel)	Gamewell

15. OC Public Works, HCA Facility, 401 S. Tustin St, Orange Building Coordinator: Evelyn Tran 714-834-3090

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Edwards – EST 3
16	Smoke Detectors	Edwards
1	Heat Detectors	Edwards
47	Horns/Strobes	Edwards
10	Pull Stations	Edwards
4	Fire Hydrants	
1	Annunciator	Edwards
3	Water Flow	Edwards
2	NAC	Edwards
7	Tamper Switches	Edwards

16. OC Public Works, HCA Facility, 405 W. 5th St, Santa Ana Building Coordinator: Kim Willey 714-834-3933

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Silent Knight
99	Smoke Detectors	Silent Knight
28	Horns/Strobes	Silent Knight
21	Pull Stations	Silent Knight
1	Annunciator	Silent Knight
8	Water Flow	Silent Knight
2	NAC	Silent Knight
16	Tamper Switches	Silent Knight
16	Door Holder	Silent Knight

Page 34 of 69

File No.: 2214901

22	Tamper & Flow	Silent Knight
	Fire Pump & Controller	

17. <u>Auditor Controller, 1770 North Broadway, Santa Ana</u> Building Coordinator: Anthony Kuo 714-834-3121

QTY	DESCRIPTION	MANUFACTURER		
1	Fire Alarm Panel	Notifier - NFS2-640		
1	Annunciator	Notifier		
75	Smoke Detectors	Notifier		
13	Door Holders	Notifier		
12	Pull Stations	Notifier		
4	Duct Detectors	Notifier		
7	Water Flow	Notifier		
60	Horns/Strobes	Notifier		
1	NAC	Notifier		
9	Tamper Switches	Notifier		
1	Elevator Recall			
16	Tamper & Flow			
1	Wet Riser			

18. <u>Health Care Agency, 23228 Madero, Mission Viejo</u> Building Coordinator: Luis Pinedo, 949-900-4580

QTY	DESCRIPTION	MANUFACTURER		
1	Fire Panel	Gamewell IF610		
14	Pull Stations	Gamewell		
97	Smoke Detectors	Gamewell		
26	Duct Detectors	Gamewell		
1	Elevator Recall	Gamewell		
100	Horn / Strobes	Gamewell		
3	Heat Detectors	Gamewell		
1	Annunciator	Gamewell		
7	Waterflow	Gamewell		
9	Tamper Switches	Gamewell		
1	Wet Risers	Gamewell		
5	Tamper & Flow	Gamewell		
1	Post Indicator Valve	Gamewell		
3	Standpipe	Gamewell		
2	Fire Hydrant			
1	Hood Suppression System	Pyro Chem		

19. Central Utility Facility (CUF), 525 N. Flower St. Santa Ana

Page 35 of 69

File No.: 2214901

Building Coordinators: Nathaniel Smith 714-667-1647 Errol Russell 714-667-1646

QTY	DESCRIPTION	MANUFACTURER		
1	Dialer 5104 B	Silent Knight		
8	Pull Station	Siemens		
1	Bell			
1	Siemens XLS Alarm Panel	Siemens		
1	Remote Control/Annunciator	Siemens		
10	Duct Detector	Siemens		
26	Horns/ Strobes	Siemens		
3	Tamper Switch Monitor Module	Siemens		
1	Water Flow Monitor Module	Siemens		
1	Smoke Detectors	Siemens		
1	Transponder	Siemens		
1	NAC	Siemens		
1	Tamper & Flow			

20. <u>District Attorney, 300 North, Flower Street, Santa Ana</u> Building Coordinator: Lynn Werner 714-308-2555

QTY	DESCRIPTION	COMPONENT	SERIAL #	MANUFACTURER
1	Fire Alarm Control Panel	4100U	5434307	Simplex
2	Panel-Notifier(RP-1002-2 nd -3 rd	4100U	5434307	Simplex
1	RCU	4602-9102		Simplex
1	Dialer Panel	2080-9023	11635	Simplex
1	Monitoring Panel	2080-9023		Simplex
112	Smoke Detectors	2098-9201		Simplex
32	Duct Detectors	4098-9702		Simplex
10	Heat Detectors	2098-9438		Simplex
34	Pull Stations	2099-9795		Simplex
64	Horn / Strobes	2902-9749		Simplex
18	Control Zam	2190-9163		Simplex
5	Class "A" Mon	2190-9153		Simplex
11	Water Flow	WFD25		System Sensor
37	Tamper Switches	727-300		Vitaulic

1	PIV		
1	Fire Pump		
1	Jockey Pump		
2	75# FM299 Cylinders -2 nd -3 rd	14788TC	Kidde
2	Pull Stations-2 nd -3 rd floors		Kidde
4	Fm-200 Nozzles		Kidde
1	FM-200 Fire Suppression System Notifier Fire Panel 2nd Floor	RP-1002	Notifier
1	Halon HFC Fire Suppression System Fike – 1005 Panel Basement	10051	Fike
1	Transponder		Simplex
8	NAC		Simplex
2	Annunciator		Simplex
18	Door Holder		Simplex
45	Tamper & Flow		

21. <u>Sheriff's Forensic Headquarters, 320 North Flower Street, Santa Ana</u> Building Coordinator: Justin Paxon 714-834-6422

QTY	DESCRIPTION	COMPONENT	SERIAL#	MANUFACTURER
1	Fire Alarm Control Panel	4100-8201	I32255	Simplex
1	Fire Alarm Control Panel	4100-8401	I32270	Simplex
1	Fire Halon Control Panel 3 rd fl	4010-9101	H62788502	Simplex
1	RCU	4602-9102		Simplex
1	Pre-Action Control Panel 2 nd floor			Simplex
1	Pre-Action Halon Panel 4 th floor			Simplex
1	Dialer Panel	2080-9020		Simplex
1	Monitoring Panel	2080-9023		Simplex
89	Smoke Detectors			Simplex
26	Duct Detectors	4098-9702		Simplex
30	Heat Detectors	2098-9438		Simplex
68	Pull Stations	2099-9795		Simplex
156	Horn / Strobes	2902-9749		Simplex
32	Control Zam	2190-9163		Simplex

Page 37 of 69

File No.: 2214901

9	Class "A" Mon	2190-9153	Simplex
2	Class "B" Mon	2190-9155	Simplex
22	Water Flow	WFD25	Simplex
41	Tamper Switches	727-800	Simplex
1	PIV		
1	Fire Pump		
1	100# Halon Cylinder	1441G	
79	Warden Phone Jacks		Simplex
1	NAC		Simplex
2	Annunciator		Simplex
1	Dact		Simplex
36	Door Holder		Simplex
61	Tamper & Flow		Simplex
14	Above ceiling smoke detector		
14	Subfloor Detector		
6	Audio / Visual		
1	Abort		

22. <u>Hutton Towers Parking, 1002 Santa Ana Boulevard, Santa Ana</u> Building Coordinator: Stacy Mohler 714-667-9622

QTY	DESCRIPTION	MANUFACTURER
1	Fire Pump	
1	Fire Pump Controller	Mazam
1	PIV Tamper	Mazam
1	Pump Room Tamper	Mazam
1	Pump Room Monitor Zam	Mazam
1	Exhaust Fan Control	R. Zam
1	Hose Cabinet Riser	Mazam
1	Elevator Shat Tamper	R. Zam
1	Water Flow	R. Zam
1	Tamper	R. Zam

23. <u>Stadium Parking, 1020 Civic Center Drive, Santa Ana</u> Building Coordinator: Stacy Mohler 714-667-9622

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm	Simplex-4002
1	Silent Knight Digital	Silent Knight

Page 38 of 69

File No.: 2214901

4	Smoke Detectors	Simplex
11	Heat Detectors	Simplex
3	Water Flow	Simplex
24	Tamper Switches	Simplex
2	PIV Switches	Simplex
2	Horns thru-out the structure	Simplex
1	Jockey Pump & Controller	
1	Dact	
1	Tamper & Flow	
1	Fire Pump	

24. <u>Courthouse Parking Structure, 690 West Civic Center Drive, Santa Ana</u> Building Coordinator: Stacy Mohler 714-667-9622

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Gamewell- Zan 400
18	Pull Stations	Gamewell
1	Digital Dialer	Silent Knight-5230
1	Water Flow	Gamewell
7	Tamper & Flow	Gamewell
1	PIV Switches	Gamewell
18	Horns / Strobes	Gamewell
1	Fire Pump & Control	ler
4	Heat Detectors	Gamewell
1	Tamper Switches	Gamewell
1	Dact	Gamewell
1	Fire Pump	

25. <u>Health Care Agency, Epidemiology Lab, 1719 West 17th Street, Santa Ana</u> Building Coordinator: Annette Banuelos 714-834-8064

QTY	DESCRIPTION	MANUFACTURER
1	Riser	
1	Water Flow Switch	
1	Outside bell	

26. <u>Manchester Office Building Parking Structure #1, 343 City Drive, Orange</u> Building Coordinator: Stacy Mohler 714-667-9622

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Panel	Gamewell-Zan-400

Page 39 of 69

File No.: 2214901

1	Digital Dialer	Radionics- D207 1A
2	Smoke Detectors	Gamewell
2	Water Flow	Gamewell
6	Tamper Switches	Gamewell
1	Bell	Gamewell
1	Fire Pump & Controller	Gamewell
1	Pull Stations	Gamewell
6	Heat Detectors	Gamewell
1	Dact	Gamewell

27. <u>Manchester Office Building Parking Structure #2, 313 City Drive, Orange</u> Building Coordinator: Stacy Mohler 714-667-9622

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Panel	Gamewell-Zan-400
1	Digital Dialer	Radionics-D207 1A
2	Smoke Detectors	Gamewell
2	Water Flow	Gamewell
6	Tamper Switches	Gamewell
1	Bell	Gamewell
1	Fire Pump & Controller	Gamewell
1	Pull Stations	Gamewell
6	Heat Detectors	Gamewell
1	Dact	Gamewell

28. <u>Harbor Patrol Headquarters, 1901 Bayside Drive, Newport Beach</u> Building Coordinator, Greg Kibby 949-673-1819

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Fire Lite – MS-5024UD
1	Dialer	Silent Knight
5	Pull Stations	Fire Lite
13	Horn/Strobes	Fire Lite
2	PIV Switches	Fire Lite
1	Horn/Outside	Fire Lite
1	Test Valve	
1	Smoke Detector	Fire Lite
1	NAC	Fire Lite
1	Annunciator	Fire Lite
1	Water Flow	Fire Lite

Page 40 of 69

File No.: 2214901

1	Tamper Switches	Fire Lite
4	Tamper & Flow	

29. <u>Youth Guidance Center, 3030 N. Hesperian Rd. Santa Ana</u> Building Coordinator: Molly Mugica 714-935-7098

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Control Panel	Simplex 4120
6	Annunciator	Gamewell
190	Smoke Detectors	Gamewell
17	Bells	Simplex
31	Pull Stations	Gamewell
12	Duct Detectors	Gamewell
2	Batteries	
2	Fire Hydrants	
2	Hood Suppression Systems PLC	Pyro Chem
1	Back Flow Device	
1	Header Valve	
79	Horn / Strobes	Gamewell
3	NAC	Gamewell

30. OC Public Works/Operations & Maintenance (O & M) and OC Watershed Lab,

2245 Glassell Street, Orange

Building Coordinator: Kurt Zach 714-955-0681

QTY	DESCRIPTION	MANUFACTURER
1	Dialer	Silent Knight
1	Annunciator	Silent Knight
2	Water Flow Switches	Silent Knight
2	Tamper Switches	Silent Knight
3	PIV	
1	Water Gong	
1	Fire Hydrant	

31. Manchester Marketplace, 301 City Drive Orange

Page 41 of 69

File No.: 2214901

Building Coordinator, C. Nguyen 714-935-1936

QTY	DESCRIPTION	MANUFACTURER
	Hood Suppression System PCL 460	Pyro Chem

32. <u>Los Alamitos Pump Station, 7000 2nd Street, Seal Beach</u> Building Coordinator: Leonel Estrada 714-955-0311

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Panel	Silent Knight - SK-5208
1	Pull Stations	Silent Knight
1	Smoke Detectors	Silent Knight
2	Horn/Strobes	Silent Knight
1	Water Flow	Silent Knight
1	Tamper Switches	Silent Knight
1	Dact (Dialer Panel)	Silent Knight
1	Wet Riser	

33. <u>Civic Center Parking Structure</u>, 510 Flower Street, Santa Ana Building Coordinator: Stacy Mohler 714-667-9622

QTY	DESCRIPTION
1	Water Flow Switch
1	Riser

34. <u>Appellate Court Parking Structure, 19 Civic Center, Santa Ana</u> Building Coordinator: Stacy Mohler 714-667-9622

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Panel	Notifier – SFP-1024
1	Elevator Recall	
8	Fire Hose Connection	
1	Auxiliary Test Valve	
2	Dry Stand Pipe	
3	Smoke Detector	Notifier
1	Heat Detector	Notifier

35. OC Public Works/Transportation, 445 West Civic Center Drive, Santa Ana

Page 42 of 69

File No.: 2214901

Building Coordinator: Administration 1st and 2nd floors, Michael Deutsch 714-955-0388

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel 7100	Faraday
18	Pull Stations	Faraday
41	Smoke Detectors	Faraday
23	Heat Detectors	Faraday
80	Audio/Visual	Faraday
28	Horn / Strobes	Faraday
2	NAC	Faraday
1	Annunciator	Faraday
2	Water Flow Valve	Faraday
2	Tamper Switches	Faraday
1	Dact	Faraday
18	Door Holder	Faraday
4	Tamper & Flow	
2	Power Supply	Faraday
1	Enunciator	Faraday
2	Risers	
1	Damper Switch	

36. <u>Social Services Agency, 800 N. Eckhoff St., Orange</u> Building Coordinator: Peter Warren 714-541-7747

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Panel	Notifier – NFS-320
1	Dact (Dialer Panel)	Notifier
1	Duct Detectors	Notifier
14	Smoke Detectors	Notifier
49	Horn/Strobes	Notifier
9	Pull Stations	Notifier
1	Water Flow	Notifier
2	Tamper Switches	Notifier
1	NAC	Notifier
1	Elevator Recall	
1	Wet Riser	
1	Dry Riser	
1	PIV	

37. Social Services Agency/Sheriffs Communications,

840 N. Eckhoff St., Orange

Building Coordinator: Peter Warren 714-541-7747

Page 43 of 69

File No.: 2214901

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Panel	Notifier – NFS-320
1	Dact (Dialer Panel)	Notifier
54	Duct Detectors	Notifier
37	Smoke Detectors	Notifier
167	Horn/Strobes	Notifier
15	Pull Stations	Notifier
3	Water Flow	Notifier
4	Tamper Switches	Notifier
2	NAC	Notifier
1	Elevator Recall	
3	Wet Riser	
3	PIV	
4	Fire Hydrant	

38. OC Public Works/O&M/OC Watershed and Geomatics, 2301 North Glassell Street, Orange

Building Coordinator: Lori Hanson 714-955-0231

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Panel	Silent Knight
1	Fire Alarm Panel	Silent Knight - 5700
1	Dialer	Silent Knight
2	Flow Switches	
1	Out Side Bell	
35	Smokes Battery Operated	
2	Smoke Detectors	Silent Knight
1	Horn / Strobes	Silent Knight
1	Water Flow	Silent Knight
1	Tamper Switches	Silent Knight
1	Tamper & Flow	
2	Fire Hydrant	

39. Health Care Agency, Annex, 1725 West 17th Street, Building B, Santa Ana

Building Coordinator: Rosa Cortez 714-834-8008

QTY	DESCRIPTION	MANUFACTURER
1	Fire Alarm Panel	Fire Lite-MS 5024 UD

1	Annunciator Located at 1725 Bldg.	Fire Lite
1	Pull Station	Fire Lite
1	Smoke Detector	Fire Lite
5	Duct Detectors	Fire Lite
4	Strobes	Fire Lite
3	Horn / Strobes	Fire Lite

40. <u>Health Care Agency Lab, 1729 West 17th Street, Santa Ana</u> Building Coordinator: Annette Banuelos 714-834-8064

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Notifier-AFP-200
6	Pull Stations	Notifier
1	Digital Dialer	Radionics
5	Heat Detectors	Notifier
45	Smoke Detectors	Notifier
27	Strobes	Notifier
25	Horn/Strobes	Notifier
1	Annunciator	Notifier
1	Dact	Notifier

41. OC Public Works/Fleet Maintenance #5, 30102 Pacific Island Drive, Laguna Niguel Building Coordinator: Karl Zamora 714-667-8891

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel Dialer part of Panel	Silent Knight-5208
1	Pull Stations	Silent Knight
2	Horn / Strobes	Silent Knight
1	Annunciator	Silent Knight
3	Smoke Detectors	Silent Knight
3	Heat Detectors	Silent Knight

42. OC Public Works Probation / Sheriff, Courts, 909 N. Main St, Santa Ana Building Coordinator:

Probation – Jessica Ramirez 714-569-2141 Sheriff - Latha Sharaschandra 714-569-3777

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Siemens - XLS
1	Pull Stations	Siemens
248	Horn / Strobes	Siemens
4	Heat Detectors	Siemens

Page 44 of 69

23	Smoke Detectors	Siemens
30	Duct Detectors	Siemens
7	NAC	Siemens
1	Annunciator	Siemens
1	Water Flow	Siemens
1	Tamper Switches	Siemens
19	Door Holder	Siemens
2	Tamper & Flow	Siemens

43. Youth Leadership Academy, 3155 West Justice Center Way, Orange Building Coordinator: Molly Mugica 714-935-7098

QTY	DESCRIPTION	COMPONENT	MANUFACTURER
2	Hood Suppression Systems	R 102	Ansul

44. OC Public Works/Probation, 23271 Verdugo Drive, Laguna Hills Building Coordinator: Jennifer Fiore 949-206-4146

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel Dialer part of Panel	Silent Knight-6808
6	Pull Stations	Silent Knight
67	Smoke Detectors	Silent Knight
24	Horn / Strobes	Silent Knight
1	Annunciator	Silent Knight
1	Fire Hydrant	

45. Rossmoor Pump Station, 7500 E. Willow St., Long Beach Building Coordinator: Leonel Estrada 714-955-0311

QTY	DESCRIPTION	MANUFACTURER
1	Wet Riser	

46. <u>Yale Transitional Center, 2229 S. Yale Street, Santa Ana</u> Building Coordinator: Karen Betances 714-834-2184

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Autocall – 4100ES
1	Pull Stations	Autocall
157	Smoke Detectors	Autocall
17	Duct Detectors	Autocall

Page 45 of 69

1	Elevator Recall	Autocall
104	Horn / Strobes	Autocall
4	Heat Detectors	Autocall
1	Annunciator	Autocall
1	Waterflow	Autocall
1	Tamper Switches	Autocall
1	Wet Risers	Autocall
6	Tamper & Flow	Autocall
1	Post Indicator Valve	Autocall
3	Fire Hydrant	
3	Hood System	

47. Building 360, 8226 Marine Way, Irvine Building Coordinator: Karl Zamora 714-667-8891

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Silent Knight - 6700
3	Smoke Detectors	Silent Knight
2	Elevator Recall	Silent Knight
95	Horn / Strobes	Silent Knight
1	Heat Detector	Silent Knight
3	NAC	Silent Knight
1	Annunciator	Silent Knight
6	Waterflow	Silent Knight
8	Tamper Switches	Silent Knight
1	Dact (Dialer Panel)	Silent Knight
6	Wet Risers	Silent Knight
2	Tamper & Flow	Silent Knight
6	Post Indicator Valve	Silent Knight

48. <u>Health Care Agency, 401 W. Civic Center Drive, Santa Ana</u> Building Coordinator: Vuthy Yam 714-834-2138

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Silent Knight – 5820XL
33	Pull Stations	Silent Knight
22	Smoke Detectors	Silent Knight
2	Elevator Recall	Silent Knight
91	Horn / Strobes	Silent Knight
10	NAC	Silent Knight
2	Waterflow	Silent Knight

Page 46 of 69

Page 47 of 69

File No.: 2214901

1	Tamper Switches	Silent Knight
1	Wet Risers	Silent Knight
2	Standpipe	Silent Knight
1	Fire Pump	Silent Knight

49. <u>Transit Towers Parking Structure, 301 W. 5th Street, Santa Ana</u> Building Coordinator: Stacy Mohler 714-667-9622

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Advanced – Axis AX
11	Smoke Detectors	Advanced
2	Elevator Recall	Advanced
1	Horn / Strobes	Advanced
1	Heat Detectors	Advanced
1	Annunciator	Advanced
1	Dact (Dialer Panel)	Advanced

50. <u>County Administration South (CAS), 601 N. Ross Street, Santa Ana</u> Building Coordinator: Debra Doerr 714-667-9683

QTY	DESCRIPTION	MANUFACTURER		
1	Fire Panel	Notifier – NFS2-640		
2	Pull Stations	Notifier		
29	Smoke Detectors	Notifier		
89	Duct Detectors	Notifier		
2	Elevator Recall	Notifier		
415	Horn / Strobes	Notifier		
8	Heat Detectors	Notifier		
8	NAC	Notifier		
1	Annunciator	Notifier		
9	Waterflow	Notifier		
18	Tamper Switches	Notifier		
1	Dact (Dialer Panel)	Notifier		
16	Door Holder	Notifier		
1	Wet Risers	Notifier		
27	Tamper & Flow	Notifier		
1	Post Indicator Valve	Notifier		
1	Standpipe	Notifier		
1	Fire Pump	Notifier		
1	Fire Hydrant			
1	FM200 Control Panel	Notifier		
1	Pre-Action Control Panel	Notifier		

Page 48 of 69

File No.: 2214901

51. <u>County Conference Center, 425 W. Santa Ana Blvd, Santa Ana</u> Building Coordinator: Debra Doerr 714-667-9683

QTY	DESCRIPTION	MANUFACTURER
1	Wet Riser	
1	Post Indicator Valve	

52. <u>County Administration North (CAN), 400 W. Civic Center Drive, Santa Ana</u> Building Coordinator: Carlos Rios 714-834-7274

QTY	DESCRIPTION	MANUFACTURER
1	Fire Panel	Notifier – NFS-640
1	Smoke Detectors	Notifier
139	Duct Detectors	Notifier
3	Elevator Recall	Notifier
416	Horn / Strobes	Notifier
5	NAC	Notifier
1	Annunciator	Notifier
11	Waterflow	Notifier
19	Tamper Switches	Notifier
1	Wet Risers	Notifier
11	Tamper & Flow	Notifier
1	Fire Pump	Notifier
2	Fire Hydrant	

53. <u>Probation, Multipurpose Rehabilitation Center (MRC), 333 Sidwell Way, Orange</u> Building Coordinator: Rick Allen 714-348-0530

QTY	DESCRIPTION	MANUFACTURER			
1	Fire Panel	Notifier – NFS2-640			
1	Cellular Communicator	Honeywell – HWF2A-COM			
3	Network Comm Module	Notifier – NCM-W			
1	Digital Voice Command	Notifier – DVC-EM			
1	Digital Voice Keypad	Notifier – DVC-KD			
13	Smoke Detectors	Notifier – FSP-951			
6	Duct Detectors	Notifier			
10	Pull Stations	Notifier – NBG -12LX			
8	Monitoring Modules	Notifier – FDM-1, FMM -1			
9	Relay Modules	Notifier – FRM-1			
1	24VDC Relay Module	System Sensor – PR-1			
2	Power Supply	Notifier – AMPS-24, PSE-6			
4	Batteries	Notifier			
1	Paging Microphone	Notifier – CMIC-1			
10	Remote Indicator LED	System Sensor – RA100Z			

Page 49 of 69

File No.: 2214901

47	Horn / Strobes	System Sensor
1	Annunciator	Notifier – LCD-160
1	Wet Risers	Notifier
1	Water Flow	Notifier

XII. ADDITIONAL WORK:

- A. Upon County request, Contractor shall submit supplemental proposals for Additional Work not called for under the Scope of Work of this Contract. Contractor must obtain County Project Manager's written approval prior to commencing any additional work.
- B. County reserves the right to obtain supplemental proposals from, and use, alternate sources for completion of the additional work and to utilize the data provided under this Contract to obtain necessary services.
- C. If County authorizes work by an alternate source, Contractor may be relieved of responsibilities pertaining to the equipment affected by the project while work is being performed and during the subsequent warranty period.
- D. Contractor shall continue to provide services to all areas not affected by work provided by alternate sources.
- E. Upon completion of any additional work, whether by Contractor or an alternative source, County's Project Manager or designee and Contractor will inspect the finished product at no additional cost to County. Upon mutual acceptance of the additional work, Contractor shall again be responsible for all services originally covered under this Contract and the work performed under this section.

Page 50 of 69

File No.: 2214901

ATTACHMENT B CONTRACTOR'S PRICING

I. COMPENSATION: This firm fixed price Contract between County and Contractor for Fire Alarm Systems Maintenance-Repair, as set forth in Attachment "A" Scope of Work".

Contractor agrees to accept the specified compensation as set forth in this Contract as full remuneration for performing all services and furnishing all staffing, shipping/freight, labor and materials required, for any reasonably unforeseen difficulties which may arise or be encountered in the execution of the services until acceptance, for risks connected with the services, and for performance by Contractor of all its duties and obligations hereunder. Contractor shall only be compensated as set forth herein below for work performed in accordance with the Scope of Work. County shall have no obligation to pay any sum in excess of the Fixed Prices specified herein unless authorized by amendment in accordance with Paragraphs C and C of the RCA.

II. FEES AND CHARGES: Payment shall be made in accordance with the provisions of this Contract; monthly, quarterly, semi-annually and annually (yearly) as scheduled below:

SEE NEXT PAGE

Page 51 of 69

File No.: 2214901

A. Pricing – Fire Alarm Maintenance-Repair

Α		1. OCPW/OCFO		2. OCPW/R	load-	3. OCPW/Fleet		
11	Duining Fine Alaum			Flood-Plani		Maintenance Shop		
	Pricing - Fire Alarm			Constructio		#1		
	Maintenance and Repair				1152 E. Fruit St.		1102 E. Fruit St.	
				Santa Ana		Santa Ana	Santa Ana	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY	
1	INSPECT/TEST - FIRE							
	ALARM Inspect and test 100% of the fire							
	alarm system - Annually per calendar		\$3,451		\$2,760		\$2,378	
	year. Clean smoke detectors- 1st of		\$5,451		\$2,700		\$2,376	
	the year. Test smoke detector sensitivity (Annually per calendar							
	year)							
2	INSPECT/TEST - FIRE							
	SPRINKLER SYSTEM	Per Test/		Per Test/				
	Inspect and test fire sprinkler system (Quarterly per calendar year)	Quarterly	\$934	Quarterly	\$975			
	[100% of system/test-four (4)	\$233.50		\$243.75				
	tests/year]							
3	PRE-ACTION - (Semi-Annually)							
4	FIRE ALARM PANEL	Per		Per		Per		
	BATTERY TESTING	Test/Quarterly	\$900	Test/Quarterly	\$900	Test/Quarterly	\$900	
5	(Quarterly) MANTENANCE - GENERAL	\$300		\$300		\$300		
3	- MONTHLY							
	Inspect, test, adjust, clean and	Per Month	\$10,188	Per Month	\$9,346	Per Month	\$9,389	
	lubricate; preventative maintenance;	\$849	φ10,100	\$778.83	Ψ2,540	\$782.42	Ψ,500	
	and maintain system in operable condition							
6	FIRE DRILLS (Two per year)							
7	FIRE HYDRANT TESTING							
	(Annually per calendar year)							
8	FIRE PUMP CHURN (Monthly) One Jockey Pump &							
	One Fire Pump							
9	FIRE PUMP TEST (Annually							
10	per calendar year) STAIRWELL							
10	PRESSURIZATION							
	TESTING (Annually per calendar							
1.1	year)							
11	EXHAUST EVACUATION TEST							
	(Annually per calendar year)							
12	SPECIAL HAZARDS FM200							
	OR HALON SYSTEM (Semi-Annually)							
13	LEAK DETECTION							
	INSPECT/TEST (Annually per							
1.4	calendar year) TEST HOOD SUPPRESSION							
14	SYSTEM (semi-annually)							
15	DOOR INSPECTION (Roll		\$450					
	Down Fire Door Inspection)		\$450					
	ANNUAL TOTAL FOR		#15 000		Ø12 001		¢10.667	
	PREDETERMINED SERVICES		\$15,923		\$13,981		\$12,667	
	SERVICES							

A	Pricing - Fire Alarm Maintenance and Repair	4. County Operations 1300 S. Grand, Santa Ana	Center Bldg. A	5. County Operations Center 1300 S. Grand, Bldg. B Santa Ana		6. County Operations Center 1300 S. Grand, Bldg. C Santa Ana		
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY	
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$1,429		\$3,116		\$2,475	
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$233.50	\$934			Per Test/ Quarterly \$338.25	\$1,353	
3	PRE-ACTION - (Semi-Annually)							
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900	
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$527	\$6,324	Per Month \$791.25	\$9,495	Per Month \$732	\$8,784	
6	FIRE DRILLS (Two per year)							
7	FIRE HYDRANT TESTING (Annually per calendar year)		\$457				\$457	
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump							
9	FIRE PUMP TEST (Annually per calendar year)							
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)							
11	EXHAUST EVACUATION TEST (Annually per calendar year)							
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi- Annually)	Per Test/ Semi-Annual \$554.50	\$1,109			Per Test/ Semi-Annual \$567.50	1,135	
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)							
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)							
15	DOOR INSPECTION (Roll Down Fire Door Inspection)							

Page 52 of 69 File No.: 2214901

	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$11,153		\$13,511		\$15,104	
A	Pricing - Fire Alarm Maintenance and		7. Law Libr 15 N. Flower S Santa Ana		8. Health C Agency 1725 West 17th Santa Ana		9. Manchester Office Bldg. 301 The City Drive Orange	
	FREQUENCY	(OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Ann calendar year. Clean smoke detectors- 1st of the year smoke detector sensitivity (Annually per calendar year)	r. Test		\$3,384		\$5,723		\$2,935
2	INSPECT/TEST - FIRE SPRINKLER SYS' Inspect and test fire sprinkler system (Quarterly per year) [100% of system/test-four (4) tests/year]	calendar P	Per Test/ Quarterly (244.75	\$979	Per Test/ Quarterly \$383.50	\$1,534	Per Test/ Quarterly \$369.75	\$1,479
3	PRE-ACTION - (Semi-Annually)						Per Test/ Semi-Annual \$360.50	721
4	FIRE ALARM PANEL BATTERY TESTIN (Quarterly)	NG T	Per Test/Quarterly	\$900	Per Test/Quarterly \$450	\$1,350	Per Test/Quarterly \$450	\$1,350
5	MANTENANCE - GENERAL - MONTHL' Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condi	e P	Per Month 1746.08	\$8,953	Per Month \$1,205.50	\$14,466	Per Month \$867.58	\$10,411
6	FIRE DRILLS (Two per year)							
7	FIRE HYDRANT TESTING (Annually per calendar year)							
8	FIRE PUMP CHURN (Monthly) One Jockey & One Fire Pump	Pump						
9	FIRE PUMP TEST (Annually per calendar year))						
10	STAIRWELL PRESSURIZATION TESTIN (Annually per calendar year)	NG						
11	EXHAUST EVACUATION TEST (Annually per calendar year)							
12	SPECIAL HAZARDS FM200 OR HALON SYS (Semi-Annually)	STEM					Per Test/ Semi-Annual \$592.00	\$1,184
13	LEAK DETECTION INSPECT/TEST (Annual calendar year)	ually per						
14	TEST HOOD SUPPRESSION SYSTEM (se annually)	emi-						
15	DOOR INSPECTION (Roll Down Fire Door Inspection)					\$1,800		
	ANNUAL TOTAL FOR PREDETERMINE SERVICES	ED		\$14,216		\$24,873		\$18,080

Page 53 of 69 File No.: 2214901

Page 54 of 69

A	Pricing - Fire Alarm Maintenance and Repair	10. Juvenile Hall 331 The City Drive Orange		11. Fleet Maint Shop #2 2023 West Collins St. Orange		12. OCPW/ Ag. Lab/ O&M Warehouse 222 East Bristol Lane Orange	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$27,027		\$815		\$308
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$1,323.75	\$5,295	Per Test/ Quarterly \$233.50	\$934	Per Test/ Quarterly \$233.50	\$934
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/Quarterly \$900	\$2,700	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$5,232.42	\$62,789	Per Month \$434.17	\$5,210	Per Month \$344.25	\$4,131
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)		\$1,599				
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump						
9	FIRE PUMP TEST (Annually per calendar year)						
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)	Per Test/ Semi-Annual \$212.00	\$424				
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$99,834		\$7,859		\$6,273

Page 55 of 69

A	Pricing - Fire Alarm Maintenance and Repair	13. Joplin Y Center 19480 Rose Car Trabuco Canyon	ıyon Road	14. County Facility Laguna Niguel 30143 Crown Valley Pkwy Laguna Niguel		15. HCA Facility 401 South Tustin St Orange	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$3,383		\$2,316		\$1,298
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$731.00	\$2,924			Per Test/ Quarterly \$474	\$1,896
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$850.58	\$10,207	Per Month \$680.08	\$8,161	Per Month \$535.33	\$6,424
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)						\$914
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump	Per Month \$668	\$7,348				
9	FIRE PUMP TEST (Annually per calendar year)		\$1,102				
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)	Per Test/ Semi-Annual \$221.50	\$443				
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$26,307		\$11,377		\$11,432

A	Pricing - Fire Alarm Maintenance and Repair	16. HCA Facility 405 West 5th St Santa Ana		17. Auditor Controller 1770 N. Broadway Santa Ana		18. HCA Facility, 23228 Madero Mission Viejo	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$3,183		\$2,755		\$12,902.50
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$483.25	\$1,933	Per Test/ Quarterly \$415.25	\$1,661	Per Test/ Quarterly \$462	\$1,848
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$794.67	\$9,536	Per Month \$739.08	\$8,869	Per Month \$275	\$3,300
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)						\$457
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump	Per Month \$668	\$7,348				
9	FIRE PUMP TEST (Annually per calendar year)		\$1,102				
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)					Per Test/ Semi-Annual \$259	\$518
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$24,002		\$14,185		\$19,925.50

Page 56 of 69 File No.: 2214901

Page 57 of 69

A	Pricing - Fire Alarm Maintenance and Repair	19. Central Facility 525 North Flow Santa Ana	•	20. District Attorney 300 North Flower Santa Ana		21. Sheriff Forensic 320 North Flower Santa Ana	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$1,151		\$6,156		\$6,385
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$256	\$1,024	Per Test/ Quarterly \$755	\$3,020	Per Test/ Quarterly \$1,031	\$4,124
3	PRE-ACTION - (Semi-Annually)					Per Test/ Semi-Annual \$1,804	\$3,608
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$515.42	\$6,185	Per Month \$1,384.42	\$16,613	Per Month \$1,519.42	\$18,233
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)						
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump			Per Month \$668	\$7,348	Per Month \$668	\$7,348
9	FIRE PUMP TEST (Annually per calendar year)				\$1,102		\$1,102
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)				\$900		\$900
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)			Per Test/ Semi-Annual \$1,097.50	\$2,195	Per Test/ Semi-Annual \$831.00	\$1,662
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)						
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$9,260		\$38,234		\$44,262

A	Pricing - Fire Alarm Maintenance and Repair	22. Huttor Parking 1002 Santa An Santa Ana		23. Stadium Parking 1020 Civic Center Drive Santa Ana		24. Courthouse Parking 690 West Civic Center Drive Santa Ana	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)				\$771		\$575
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$324.25	\$1,297	Per Test/ Quarterly \$517.25	\$2,069	Per Test/ Quarterly \$323.25	\$1,293
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)			Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition			Per Month \$440.50	\$5,286	Per Month \$404.50	\$4,854
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)						
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump	Per Month \$668	\$7,348	Per Month \$668	\$7,348	Per Month \$668	\$7,348
9	FIRE PUMP TEST (Annually per calendar year)		\$1,102		\$1,102		\$1,102
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)						
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$9,747		\$17,476		\$16,072

Page 58 of 69 File No.: 2214901

A	Pricing - Fire Alarm Maintenance and Repair	25. HCA Epidemiology Lab 1719 West 17th Street Santa Ana,		26. MOB Parking Structures # 1 343 The City Drive Orange		27. MOB Parking Structures # 2 313 The City Drive Orange	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)				\$554		\$554
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$233.50	\$934	Per Test/ Quarterly \$301.50	\$1,206	Per Test/ Quarterly \$301.50	\$1,206
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)			Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition			Per Month \$395.92	\$4,751	Per Month \$395.92	\$4,751
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)						
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump			Per Month \$668	\$7,348	Per Month \$668	\$7,348
9	FIRE PUMP TEST (Annually per calendar year)				\$1,102		\$1,102
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)						
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$934		\$15,861		\$15,861

Page 59 of 69 File No.: 2214901

A	Pricing - Fire Alarm Maintenance and Repair	1901 Bayside Drive Center		3030 North Hes		30. OCPW / Watershed Lab 2245 Glassell Street Orange	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$580		\$5,802		\$337
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$299.50	\$1,198			Per Test/ Quarterly \$369.25	\$1,477
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$403.67	\$4,844	Per Month \$1,183.17	\$14,198	Per Month \$351	\$4,212
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)				\$457		\$228
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump						
9	FIRE PUMP TEST (Annually per calendar year)						
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)			Per Test/ Semi-Annual \$356.50	\$713		
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$7,522		\$22,070		\$7,154

Page 60 of 69 File No.: 2214901

A	Pricing - Fire Alarm Maintenance and Repair	31. Manch Marketplac 301 The City I Orange	ce	32. Los Alamitos Pump Station 7000 2 nd Street Seal Beach		33. Civic Center Parking 510 Flower Street Santa Ana	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)				\$323		
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]			Per Test/ Quarterly \$233.50	\$934	Per Test/ Quarterly \$256	\$1,024
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)			Per Test/Quarterly \$300	\$900		
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition			Per Month \$345.67	\$4,148		
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)						
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump						
9	FIRE PUMP TEST (Annually per calendar year)						
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)	Per Test/ Semi-Annual \$203.00	\$406				
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$406		\$6,305		\$1,024

Page 61 of 69 File No.: 2214901

Page 62 of 69

A	Pricing - Fire Alarm Maintenance and Repair	34. Appella Parking 601 W. Santa A Santa Ana		35. Transportation 445 West Civic Center Drive Santa Ana		36. Social Services Agency 800 N. Eckhoff Street Orange	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$343		\$2,189		\$1,014
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]			Per Test/ Quarterly \$383.50	\$1,534	Per Test/ Quarterly \$243.75	\$975
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$346.25	\$4,155	Per Month \$686.25	\$8,235	Per Month \$475.50	\$5,706
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)						
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump						
9	FIRE PUMP TEST (Annually per calendar year)						
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)						
15	DOOR INSPECTION (Roll Down Fire Door Inspection)				\$1,355		
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$5,398		\$14,213		\$8,595

Page 63 of 69

A	Pricing - Fire Alarm Maintenance and Repair	37. Social Services Agency/Sheriffs Communications 840 N. Eckhoff Street Orange		38. Operations & Maintenance 2301 N. Glassell Street Orange		39. Health Care Agency Annex 1725 W. 17 th Street Santa Ana	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$4,444		\$930		\$464
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$474.00	\$1,896	Per Test/ Quarterly \$255.00	\$1,020		
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$1,111.50	\$13,338	Per Month \$457.17	\$5,486	Per Month \$369.33	\$4,432
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)		\$914		\$457		
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump						
9	FIRE PUMP TEST (Annually per calendar year)						
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)						
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$21,492		\$8,793		\$5,796

Page 64 of 69

A	Pricing - Fire Alarm Maintenance and Repair	Agency Lab Solution 1729 W. 17th Street 3		41. Fleet Services Shop # 5 30102 Pacific Island Dr. Laguna Niguel		42. Probation / Sheriff, Courts 909 N. Main Street Santa Ana	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$1,491		\$365		\$4,380
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]					Per Test/ Quarterly \$256	\$1,024
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900	Per Test/Quarterly \$300	\$900
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$521.25	\$6,255	Per Month \$351.25	\$4,215	Per Month \$1,165.08	\$13,981
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)						
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump						
9	FIRE PUMP TEST (Annually per calendar year)						
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)						
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$8,646		\$5,480.00		\$20,285

Page 65 of 69

A	Pricing - Fire Alarm Maintenance and Repair	43. Youth I Academy 3155 W. Justic Santa Ana	-	44. Probation 23271 Verdugo Drive Laguna Hills		45. Rossmoor Pump Station 7500 E. Willow St. Long Beach	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)				\$1,808		
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]					Per Test/ Quarterly \$233.5	\$934
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)			Per Test/Quarterly \$300	\$900		
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition			Per Month \$548.67	\$6,584		
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)				\$228		
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump						
9	FIRE PUMP TEST (Annually per calendar year)						
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)	Per Test/ Semi-Annual \$400	\$800				
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$800		\$9,520		\$934

Page 66 of 69

A	Pricing - Fire Alarm Maintenance and Repair	46. Yale Tr Center 2229 S. Yale S Santa Ana		47. Building 360 8226 Marine Way Irvine		48. Health Care Agency 401 W. Civic Center Dr. Santa Ana	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$5,303.50		\$1,486		\$2,650
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$312	\$1,248	Per Test/ Quarterly \$842	\$3,368	Per Test/ Quarterly \$233.50	\$934
3	PRE-ACTION - (Semi-Annually)						
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/ Quarterly \$300	\$900	Per Test/ Quarterly \$300	\$900	Per Test/ Quarterly \$900	\$2,700
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$1,021.67	\$12,260	Per Month \$603.58	\$7,243	Per Month \$827.58	\$9,931
6	FIRE DRILLS (Two per year)						
7	FIRE HYDRANT TESTING (Annually per calendar year)		\$685				
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump					Per Month \$668	\$7,348
9	FIRE PUMP TEST (Annually per calendar year)						\$1,102
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)						
11	EXHAUST EVACUATION TEST (Annually per calendar year)						
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)						
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)						
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)	Per Test/ Semi-Annual \$559.50	\$1,119				
15	DOOR INSPECTION (Roll Down Fire Door Inspection)						
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$21,515.50		\$12,997		\$24,665

Page 67 of 69

A	Pricing - Fire Alarm Maintenance and Repair	Parking	tarking Ac O1 W. 5 th Street (C anta Ana 601		50. County Administration South (CAS) 601 N. Ross Street Santa Ana		51. County Conference Center 425 W. Santa Ana Blvd. Santa Ana	
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	OTHER	YEARLY	
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$592		\$8,329			
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]			Per Test/ Quarterly \$550.50	\$2,202	Per Test/ Quarterly \$243.75	\$975	
3	PRE-ACTION - (Semi-Annually)			Per Test/ Semi-Annual \$360.50	\$721			
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/ Quarterly \$300	\$900	Per Test/ Quarterly \$300	\$900			
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$386.50	\$4,638	Per Month \$1,943.33	\$23,320			
6	FIRE DRILLS (Two per year)							
7	FIRE HYDRANT TESTING (Annually per calendar year)				\$228			
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump			Per Month \$668	\$7,348			
9	FIRE PUMP TEST (Annually per calendar year)				\$1,102			
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)							
11	EXHAUST EVACUATION TEST (Annually per calendar year)							
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)			Per Test/ Semi-Annual \$579	\$1,158			
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)							
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)							
15	FIRE CURTAIN INSPECTION (Annually per calendar year)				\$2,385.45			
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$6,130		\$47,693.45		\$975	

A	Pricing - Fire Alarm Maintenance and Repair	52. County Administration North (CAN) 400 W. Civic Center Drive Santa Ana		53. Probation, Multipurpose Rehabilitation Center (MRC) 333 Sidwell Way, Orange		
	FREQUENCY	OTHER	YEARLY	OTHER	YEARLY	
1	INSPECT/TEST - FIRE ALARM Inspect and test 100% of the fire alarm system - Annually per calendar year. Clean smoke detectors- 1st of the year. Test smoke detector sensitivity (Annually per calendar year)		\$13,911		\$978.50	
2	INSPECT/TEST - FIRE SPRINKLER SYSTEM Inspect and test fire sprinkler system (Quarterly per calendar year) [100% of system/test-four (4) tests/year]	Per Test/ Quarterly \$837.75	\$3,351	Per Test/ Quarterly \$361.02	\$1,444.02	
3	PRE-ACTION - (Semi-Annually)					
4	FIRE ALARM PANEL BATTERY TESTING (Quarterly)	Per Test/ Quarterly \$742.90	\$2,228.70	Per Test/ Quarterly \$742.90	\$2,228.70	
5	MANTENANCE - GENERAL - MONTHLY Inspect, test, adjust, clean and lubricate; preventative maintenance; and maintain system in operable condition	Per Month \$2,243.54	\$24,678.94	Per Month \$611.55	\$6,725.95	
6	FIRE DRILLS (Two per year)					
7	FIRE HYDRANT TESTING (Annually per calendar year)		\$467			
8	FIRE PUMP CHURN (Monthly) One Jockey Pump & One Fire Pump	Per Month \$682.00	\$7,502			
9	FIRE PUMP TEST (Annually per calendar year)		\$1,126			
10	STAIRWELL PRESSURIZATION TESTING (Annually per calendar year)					
11	EXHAUST EVACUATION TEST (Annually per calendar year)					
12	SPECIAL HAZARDS FM200 OR HALON SYSTEM (Semi-Annually)					
13	LEAK DETECTION INSPECT/TEST (Annually per calendar year)					
14	TEST HOOD SUPPRESSION SYSTEM (semi-annually)					
15	FIRE CURTAIN INSPECTION (Annually per calendar year)		\$2,385.45			
	ANNUAL TOTAL FOR PREDETERMINED SERVICES		\$55,650.09		\$11,377.17	

Page 68 of 69 File No.: 2214901

TOTAL FOR ALL PREDETERMINED SERVICES	\$922,074 per year
ADDITIONAL SERVICES SHALL NOT EXCEED	\$450,000 per year
CONTRACT SHALL NOT EXCEED	\$3,977,393

Page 69 of 69 File No.: 2214901